

Type Test Certificate of Complete type test

Apparatus Metal-oxide surge arrester without gaps for a.c. system fitted with disconnectors

Designation CA.../05.0D
Rated voltage from 3 kV to 36 kV; Nominal discharge current 2,5 kA ; Rated frequency 50-60 Hz

Manufacturer DTR CORPORATION – Kyeongnam – Korea

Tested for DTR CORPORATION – Kyeongnam – Korea

Date(s) of tests **from** February 14, 2005 **to** April 6, 2006

Tested by CESI S.p.A. – Milano – Italy

The apparatus, constructed in accordance with the description, drawings and photographs incorporated in the reference documents, identified in this certificate, has been subjected to the series of proving tests in accordance with

IEC 60099-4 (2004-05)

This Test Certificate has been issued by CESI in accordance with above mentioned Standards.

The results are shown in the record of Proving Tests and the oscillograms attached in the Test Reports. The values obtained and the general performance are considered to comply with the above Standards and to justify the ratings assigned by the Manufacturer as listed on page No.2 .

The Certificate applies only to the apparatus tested. The responsibility for conformity of any apparatus having the same designations with that tested rests with the Manufacturer.

Only integral reproduction of this Certificate, or reproductions of this page accompanied by any pages on which are stated the endorsed ratings of the apparatus tested, are permitted without written permission from CESI.

No. of pages

4

Prepared

LAP - Sironi Alberto

A8020031 3025 ALT

Approved

LAP - Nicolini Roberto

A8020031 2989 APP

CESI S.p.A.

Energy Division

Technical Area Components

"Testing Laboratories"

Manager