Approved

Page 1

Type Test Certificat	e of Dielectric Performance and Temperature Rise Performance
Apparatus	Single-pole in one enclosure gas-insulated switchgear (GIS)
Designation	IFT
	Rated voltage 550/420 kV ; Rated normal current 6300 A ; Rated frequency 50Hz
Manufacturer	Chung-Hsin Electric & Machinery MFG Corp. No.25 Wen-Te Rd., Kwei-Shan Hsiang, Taoyuan Hsein, Taiwan, R.O.C
Tested for	Chung-Hsin Electric & Machinery MFG Corp. No.25 Wen-Te Rd., Kwei-Shan Hsiang, Taoyuan Hsein, Taiwan, R.O.C
Date(s) of tests	from June 12, 2008 to March 0, 2009
Tested by	CESI S.p.A Milano - ITALY FGH-Engineering &Test GmbH - Mannheim - GBRMANY
The apparatus, constructed in accordance with the description, drawings and photographs incorporated in the reference documents, identified in this certificate, has been subjected to the series of proving tests in accordance with	
	IEC 62271-203(2003), Clauses 6.2, 63, 6.4 and 6.5
This Type Test Certificate has been issued by CESI following exclusively the STL Guides.	
The results are shown in the record of Proving Tests and the oscillograms attached in the Test Reports. The values obtained and the general performance are considered to comply with the above Standards and to justify the ratings assigned by the Manufacturer as listed on page No.2.	
The Certificate applies with that tested rests wi	only to the apparatus tested. The responsibility for conformity of any apparatus having the same designations ith the Manufacturer.
Only integral reproduction of this Certificate, or reproductions of this page accompanied by any pages on which are stated the endorsed ratings of the apparatus tested, are permitted without written permission from CESI.	
	$\langle \rangle$
No. of pages	4 No. of pages annexed -
Issue date	August 25, 2009
Prepared	OED - Beccarini Pierangelo CESI s.p.A. Energy Division
Verified	QED - Arneodo Giorgio, OOR - Lo Monaco Franco
Approved	LAP - II Responsabile - Nicolini Roberto
	CESIVia R. Rubattino 54Capitale sociale 8 550 000 EuroRegistro Imprese di MilanoCentro Elettrotecnico20134 Milano - Italiainteramente versatoSezione OrdinariaSperimentale ItalianoTelefono + 39 022125.1Codice fiscale e numeroN. R.E.A. 429222Giacinto Motta spaFax +39 0221255440iscrizione CCIAA 00793580150P.I. IT00793580150

CESI

TTC001IG rev.03